EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S124	2	"6678463".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 15:56
S125	39	(predictive adj2 buffer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 09:03
S126	92	(stop\$3 halt\$3 terminat\$3 end\$3) near4 (buffer\$3 record\$3) with (chang\$3 near1 channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 11:38
S128	1	("2005/0138659").URPN.	USPAT	OR	ON	2008/10/30 11:58
S129	23	("20020087997" "20020143782" "20020174430" "20030053792" "20030099456" "20040210932" "20050138659" "5361173" "5400402" "5444499" "5585865" "5761371" "5861906" "6025868" "6614987" "6642939" "6670971" "6727914" "6760535" "6920281" "7039928" "7243364").PN. OR ("7394967"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/30 11:59
S131	68	S130 and ((@ad<="20031217") or (@rlad<="20031217"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 13:04
S130	92	(stop\$3 halt\$3 terminat\$3 end\$3) near4 (buffer\$3 record\$3) with (chang\$3 near1 channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 13:04

S134	87	S132 and ((@ad<="20031217") or (@rlad<="20031217"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 08:41
S133	14	("20010008427" "20020168178" "20020168178" "20030110511" "20030110511" "6052155" "6324338" "6766100" "7027716").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 08:41
S132	106	386/92,83,12,46.ccls. and (profile and buffer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 08:41
S136	9	S135 and (stop\$3 halt\$3 terminat \$3 end\$3) near4 (buffer\$3 record \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:08
S135	22	(US-20050028194-\$ or US-20040268389-\$ or US-20040091249-\$ or US-20030159157-\$ or US-20030110511-\$ or US-20030110500-\$ or US-20030088872-\$ or US-20050047752-\$ or US-20050034151-\$ or US-20050034151-\$ or US-59030221198-\$).did. or (US-6985669-\$ or US-5848396-\$ or US-5977964-\$ or US-6721954-\$ or US-6614987-\$ or US-7257308-\$ or US-7096486-\$ or US-5867205-\$ or US-5734444-\$ or US-6766100-\$ or US-7394967-\$). did.	US-PGPUB; USPAT	OR	ON	2008/10/31
S137	102	(chang\$3 adj channel) same (stop \$3 halt\$3 terminat\$3 end\$3) near4 (buffer\$3 record\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:23
S140	239	(chang\$3 near2 channel) same (stop\$3 halt\$3 terminat\$3 end\$3) near4 (buffer\$3 record\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:24

S139	55	S137 not S138	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:24
S138	92	(stop\$3 halt\$3 terminat\$3 end\$3) near4 (buffer\$3 record\$3) with (chang\$3 near1 channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:24
S142	100	S141 and ((@ad<="20031217") or (@rlad<="20031217"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:25
S141	147	S140 not S138	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:25
S143	47	("725".clas. and "386".clas.) and (predict\$3 anticipat\$3 expect\$3) adj4 (buffer\$3 record\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:58
S144	20	("20020032904" "20020053084" "20020087978" "200201023928" "20030014407" "20030121058" "20030145331" "20030149975" "20050204386" "5945988" "6757691").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:02
S145	882	725/46.ccls. and (buffer\$3 record \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:11
S146	200	725/46.ccls. and (buffer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:12
S148	127	S147 and ((@ad<="20031217") or (@rlad<="20031217"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:47

242	(personal adj video adj recorder pvr) and ((preference profile) same (buffer\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2008/10/31 10:47
58	S150 and ((@ad<="20031217") or (@rlad<="20031217"))	US-PGPUB; US-PAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:53
74	S149 and ("725".clas. "386".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:53
1796	(stop\$3 halt\$3 terminat\$3 end\$3) near4 (buffer\$3) with (early before)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:53
10	S135 and (rewind restart)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:56
3	("725".clas. or "386".clas.) and rodriguez.in. and decision adj barker	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 14:21
2	("2002/0168178").URPN.	USPAT	OR	ON	2008/10/31 14:22
108	("20010002224" "20010019658" "20010028782" "20010033736" "20010051037" "20020009285" "20020046404" "20020071653" "20020076195" "20020090004" "20020110352" "20020146233" "20020174430" "20030028706" "20030095792" "20030099458" "20030108331" "20030110513" "20030128302" "20030206719" "20030215211" "20030228126" "20030231855" "20030235391" "20040005142"	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/31 14:22
		pvr) and ((preference profile) same (buffer\$3)) 58	Description Description	Pvr) and ((preference profile) USPAT; USCOR; EPO; JPO; DEFWENT; IBM_TDB USCOR; EPO; JPO; DEFWENT; USCO	Dvr) and ((preference profile) same (buffer\$3)) USPAT; USOCR; EPO; USPC; DEFWENT; IBM_TDB USPAT; USOCR; EPO; USPC; DEFWENT; IBM_TDB USPAT; USOCR; EPO; USPAT; USOCR; USPAT; USPAT; USPAT; USPAT; USPAT; USOCR; USPAT;

	104	"20040091249" "20040175094" "20040184776" "20040197078" "20040228609" "20040240840" "20040258389" "20040258396" "20050002638" "20050002639" "20050002640" "20050078938" "20050047749" "20050111819" "20050111838" "20050120373" "20050259961" "20050259963" "20050259962" "20050259963" "20050276567" "20060002682" "20060045472" "20060140584" "20060177197" "20060188221" "2006028096" "20070047919" "20070077028" "20070047919" "20070110393" "20070154174" "4706121" "4908713" "4963994" "5253066" "5293357" "5371551" "5410343" "5477262" "5568272" "5661526" "5724646" "5809204" "5990881" "5990881" "5999691" "6032180" "6052562" "6118834" "6163335" "6226447" "6233389" "6430363" "6445872" "6766100" "6775843" "6798971" "6850691").PN. OR ("6868225" "6993782" "7231136" "RE36801").PN. OR ("6798971" "6850691").PN. OR ("7409140").URPN.				
S157	134	S156 and ((@ad<="20031217") or (@rlad<="20031217"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 15:02
S156	150	("725".clas. "386".clas.) and (discard\$3 delete\$3 empty\$3) near4 (buffer\$3) with (inactiv\$4 idle full)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 15:02

S159	17	S158 and ((@ad<="20031217") or (@rlad<="20031217"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 15:30
S158	29	("725".clas. "386".clas.) and (discard\$3 delete\$3 empty\$3) near4 (buffer\$3) with (chang\$3 near2 channel off on)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 15:30
S160	444	("725".clas. "386".clas.) and (discard\$3 delete\$3) near4 (buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 15:36
S162	23	S161 and ((@ad<="20031217") or (@rlad<="20031217"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 15:37
S161	50	("725".clas. "386".clas.) and (discard\$3 delete\$3) near4 (buffer) and (user adj1 (profile preference))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 15:37
S165	4	725/46.ccls. and (buffer\$3 with (timeslot time adj slot))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 15:43
S164	2	725/46.ccls. and (buffer\$3 with (timeslot time adj slot) same (portion segment duration fragment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 15:43
S163	18	725/46.ccls. and (buffer\$3 with (timeslot time adj slot program) same (portion segment duration fragment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 15:43
S166	23	725/46.ccls. and (buffer\$3 with (channel program) same (portion fragment duration segment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 15:44

S167	157	(dvr pvr) with (monitor\$3) with (channel program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 08:26
S168	66	S167 and ((@ad<="20031217") or (@rlad<="20031217"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 08:27
S171	94	S170 and ((@ad<="20031217") or (@rlad<="20031217"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 09:38
S170	184	(dvr pvr) with (detect\$3 check\$3 analyz\$4 examin\$4) with (channel program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 09:38
S169	91	(dvr pvr) with (check\$3 analyz\$4 examin\$4) with (channel program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 09:38
S173	39	S172 and ((@ad<="20031217") or (@rlad<="20031217"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 10:41
S172	64	(dvr pvr) with (monitor\$3 detect \$3 examin\$3 analyz\$3 determin \$3) with (buffer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 10:41
S176	110	S175 and ((@ad<="20031217") or (@rlad<="20031217"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 11:17
S175	157	(pvr dvr) and (profile) and ((terminat\$4 end\$3 stop\$4) with buffer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 11:17

S174	0	(pvr dvr) same (profile) same ((terminat\$4 end\$3 stop\$4) with buffer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2008/11/03 11:17
S179	253	(pvr dvr) and ((terminat\$4 stop \$4) with buffer\$3)	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2008/11/03 11:27
S178	25	S177 and ((@ad<="20031217")	DERWENT; IBM_TDB US-PGPUB;	OR	ON	2008/11/03
3176	20	or (@rlad<= "20031217"))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	11:27
S177	49	(pvr dvr) and ((terminat\$4 stop \$4) with buffer\$3 with (program channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 11:27
S180	165	S179 and ((@ad<="20031217") or (@rlad<="20031217"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 11:48
S181	209	(pvr dvr) and ((discard\$3 delet\$4) with buffer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 11:59
S182	130	S181 and ((@ad<="20031217") or (@rlad<="20031217"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 13:17
S183	1880	386/83.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 13:37
S184	284	S183 and ((channel program) with (profile interest\$3 preference))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 13:38

S185	227	S183 and ((channel program) with (profile interest\$3 preference) same (buffer\$3 record\$3 stor\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 13:41
S186	158	S185 and ((@ad<="20031217") or (@rlad<="20031217"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 13:42
S187	10	S183 and ((channel program) with (profile interest\$3 preference) same (buffer\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 13:58
S190	27	386/46.ccls. and ((buffer\$3 memory) same (terminat\$3 end\$3 stop\$3) same user with (watch\$3 view\$3) with (channel program))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 14:11
S189	19	S188 and ((@ad<="20031217") or (@rlad<="20031217"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 14:11
S188	25	S183 and ((buffer\$3 memory) same (terminat\$3 end\$3 stop\$3) same user with (watch\$3 view\$3) with (channel program))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 14:11
S191	21	S190 and ((@ad<="20031217") or (@rlad<="20031217"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 14:17
S193	27	S192 and (paus\$3 with buffer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 14:58
S192	187	725/102.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 14:58

S195	40	S194 and ((@ad<="20031217") or (@rlad<="20031217"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 15:18
S194	43	(trick adj play pause channel near2 chang\$3) with buffer\$3 and (nvod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 15:18
S196	2	"725".clas. and arsenault.in. and nvod	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 15:36
S199	15	((buffer\$3) with (cease terminat \$3 stop\$3)) same2 ((viewer user) with (watch\$3 view viewing) with (channel program)) and ((user viewer customer) adj2 (profile preference))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 16:08
L2	26	1 and ((@ad<="20031217") or (@rlad<="20031217"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 08:17
L1	41	((buffer\$3) with (cease terminat \$3 stop\$3)) same2 ((user viewer customer) adj2 (profile preference))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 08:17
L5	10	"725".clas. and system adj controller with monitor and williams.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 09:10
L6	2	"20030041332" .pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 11:44

11/4/2008 1:14:17 PM

C:\ Documents and Settings\ cparry\ My Documents\ EAST\ Workspaces\ 10738419.wsp